



Rii Portable 60% Mechanical Gaming Keyboard

Manual

Model: RK802

Thank You For Selecting Rii Products.

Rii is a well-known and Professional brand of computer peripherals. We always endeavor to develop more interesting and perfect products. Any product breakdown caused by quality defectiveness other than artificial damage or abnormal operation can enjoy our high quality and prompt maintenance service. The warranty is one year since you receive the Rii keyboard.

Package Contents


- Keyboard
- USB Cable
- USB Receiver
- User's Manual


Specification

RK802 Three-mode RGB Mechanical Keyboard

- The keyboard initialized to 2.4G mode (Need to plug USB receiver into PC)
- Dimensions: 288x98x33MM
- Keys Switch: Outemu 50,000,000 times
- Battery Capacity: 1800mAh
- Systems Support Mac/ Windows/Vistar/Linux
- Weight: 497g
- Operating Voltage USB: +5V
- Operating Current: <120mA


⬇ Driver download link: www.riitek.com.cn/uploads/soft/RK802_US_SetupV1.0.2.zip
www.riitek.com.cn/uploads/soft/RK802_EU_SetupV1.0.2.zip








The key cap indicator blinks slowly to indicate pairing. When pairing, keep pressing for 3 seconds to enter the Bluetooth pairing fast flash mode. Search for keyboard pairing Rii RK802 on your computer.










Custom lighting settings

Switch to custom lighting mode and enable lighting settings.



Rii RK802 Gaming Configure now Mac Manager

Light Effect Setting

Crystalline Water

Arrow

Centre

Custom

Bark Bright

Slew Fast

Direction: Left Right Led Settings

Color: Base Color

Configuring All Configuring Keys

Macro

Enter Keywords

Number of cycles Set

Release to stop Macro

Press again to stop Macro

Soft Version: V1.0.2 | Firmware Version: 10095_0011_0002

Keyboard Configuration

ESC | ! | @ | # | \$ | % | ^ | & | * | (| 0 | - | = | BACKSPACE

TAB | Q | W | E | R | T | Y | U | I | O | P | [|] | \ |

ESC | A | S | D | F | G | H | J | K | L | ; | ' | ENTER

SHIFT | Z | X | C | V | B | N | M | , | . | / | ? | SHIFT

CTRL | FN | ESC | | FN | CTRL | FN

Save Apply

Primary Number Pad Media Mouse

ESC | F1 | F2 | F3 | F4 | F5 | F6 | F7 | F8 | F9 | F10 | F11 | F12 | PS | SL | FN

~ | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | - | = | Backspace | DEL | HB | FN

Tab | Q | W | E | R | T | Y | U | I | O | P | [|] | \ | DEL | BK | FN


Caps | A | S | D | F | G | H | J | K | L | ; | ' | Enter

LSHIFT | Z | X | C | V | B | N | M | , | . | / | ESHIFT | ↑


LCtrl | LFn | LAlt | Space | RAlt | RFn | RCtrl | ← | ↓ | →

Combination: Ctrl Alt Shift Win + A Set


Set the entire background color.
Select and set all lighting effects, then click on the color.



Set a single color.
Select and set a single button.




First click on the button that needs to be set, then click on the corresponding color.





Macro button settings

Switch to the macro recording interface.




Create a new macro recording folder.
Click+, enter the folder name, and then click confirm.







Create a new macro recording file.

First, select the macro recording folder, click+in the macro file solution, enter the macro name, and click OK.




Macro recording.







Set macro buttons.
Return to the button settings interface.



Select the set button, select the macro, and then select set.



Click save, then set the application, and the macro function will be set up.



NOTE: If you need a detailed video of backlight personality settings and macro definition settings, please contact us after the sale via order or official (www.riitek.com).



www.riitek.com

Made in China